

OCTOBER 11, 1965 - REGULAR MEETING OF CITY COUNCIL WITH ALL PRESENT.

1. Chaplain T. J. Lance delivered the invocation.
2. Minutes of Sept. 27 meeting read and approved.
3. Application for Malt Beverage License of American Legion Post 555 read and referred to Ald. King, chairman of license comm.
4. Mayor Dickinson reported that the shopping center merchants had asked special consideration for an educational exhibit to be displayed there. Ald. King recommended that the license (\$35 per day) fee be paid.
5. Ald. King said Mr. Harry Lawrence had approached him on the subject of operating the pool room at the bowling lanes on Sundays. It was decided that since this was against state law, the pool tables could not be used on Sundays.
6. Comm. Everett DeFoor asked the assistance of Council in procuring the services of three young men (age 21-40) to work on the tax reappraisal program.
7. Ald. Norton moved that a street in the new housing project be named Hillhouse Drive in honor of the late Laurens Hillhouse. Ald. King seconded the motion, which was voted on and passed.
8. Ald. Woods made motion to engage a contractor to install 3500 ft. of 6" water main @ 75¢ per foot on Peters St., 13000 ft. of 6" water main @ 50¢ per foot on Red Bud Rd. from Barrett Rd. to Gravitt's Store, 3168 ft. of 4" from Gravitt's Store to New Town Rd. and 7000 ft. of 6" from Boone Ford Rd. along Fairmount Rd. @ 50¢ per ft. Ald. Norton seconded the motion which was voted on and passed.
9. Ald. Woods heard in regard to excessive water usage by C & S Laundry at Resaca. It was explained that this laundry was now doing work that had been done by the laundry that burned at Nancy Springs. Mr. Woods said if this usage continued, the city would have to install a pump to supply the laundry and give satisfactory service to other consumers in the area.
10. Ald. David moved that two men be permitted to attend the Radiological Defense Officers Course in Athens on Nov. 8-12. Ald. Norton seconded, voted and passed.
11. Supt. Owens said a petition for water was being worked from the end of the present line on US 41 S to the Lily Pond Rd. a distance of slightly more than one mile which would require 13 minimums. Mr. Owens recommended that action be postponed on this until the proposed poultry processing plant could define their water requirements.
12. Supt. Owens reported that William C. Burdette had agreed to appraise property on SR 53 at \$20 per parcel. Council approved.
13. Supt. Owens said there was a house in the Conasauga Heights Subdivision at Resaca whose elevation is too high to be served by normal city water pressure. Mr. Owens said the occupant or owner of this house would have to furnish their own pump at no cost to the city.
14. Ald. Woods requested Supt. Owens to acquire estimate of cost of placing old water works in good condition.
15. Ald. David moved to adjourn, seconded by Ald. Woods and done.

Approved:


Frank M. Dickinson, Mayor

Respectfully submitted,


Hoyt Edwards, City Clerk