

OCTOBER 22, 1962

REGULAR MEETING OF CITY COUNCIL WITH MAYOR DICKINSON, ALDERMEN KING AND LEWIS PRESENT: ALDERMEN DAVID AND WOODS ABSENT.

1. Mayor Dickinson called the meeting to order and asked the Rev. R. E. "Bob" Bridges, pastor of the First Methodist Church, to deliver the invocation.
2. Minutes of meeting of Oct. 8 read by clerk and approved by mayor.
3. A delegation of five Negro citizens, with the Rev. Ralph Gardner as spokesman, was recognized by the mayor. They requested council to employ a Negro policewoman to direct traffic at Stephens School. After discussion, Mayor Dickinson appointed Ald. Lewis and Chief Roberts to investigate and make their recommendations at next mtg.
4. Ald. King moved that city make change in Harlan St. desired by Mr. Julian R. Fain and Mr. Wm. C. Burdette provided they pay all costs involved; 2nd by Ald. Lewis, voted on and passed.
5. Supt. Owens reported on plans to lay 16" water main from filter plant to Pine St., with 12" lateral from King & Pine to Piedmont & Cove Sts., and 12" on Pine to Edmund Circle to Oothcaloga, with 10" NE on Oothcaloga and N on McConnell to King Textile Co. Also included are the installation of a 2800 gpm pump to replace 500 gpm pump now in use at filter plant and extension of 6" main to Red Bud, seven (7) miles distant with 123 potential users. These projects to be financed by issuance of additional water certificates and prospective federal grant of 50% of cost.
6. On motion of Ald. Lewis and second of Ald. King, council adopted city budget with Aug. 1 as effective date.
7. Council asked for report on budget at Nov. 26 meeting.
8. Ald. Lewis expressed dissatisfaction with parking and traffic on Piedmont St. He and Chief Roberts to cope with problem.
9. Ald. King heard in regard to shopping center developers changing Victory Drive and relocating sewer. Cost to be borne by them.
10. No further business, meeting adjourned.

Approved:

*Frank M. Dickinson*

Frank M. Dickinson, Mayor

Respectfully submitted,

*Hoyt Edwards*

Hoyt Edwards, Clerk