

DATE: May 14, 2025
TO: Water Line Supply Vendors
SUBJECT: Bid #2025-00341 Supplies for Water Line Relocation

You are invited to submit a quote for Bid #2025-00341 Supplies for Water Line Relocation for the City of Calhoun, Georgia. Located from the intersection of Curtis Parkway and Dews Pond Road south along Curtis Parkway to Laurel Creek Road.

Inquiries regarding this Proposal should be made to Margaret Boyd, Director of Purchasing at (706) 602-5680, or by e-mail to maboym@calnet-ga.net. Technical questions Tod Lankford, Engineering Department at (706) 602-6081, email tlankford@calnet-ga.net or Kurt McCord, Engineering Department Manager at (706) 602-6082, email kmccord@calnet-ga.net.

Attached hereto are the bid form, quote specifications, and general instructions. Acceptable manufactures and models are listed in the itemized bid form, which will supersede anything published in the City's Standard Specifications [2019-Development-Policy-Specifications-Details.pdf](#) (available online). The Standard Specifications should be referenced for items without a manufacturer's part in the listed bid form.

The written specifications contained in this bid shall not be changed or superseded except by written addendum from the City of Calhoun, Director of Purchasing, Margaret Boyd. Failure to comply with the written specifications for this bid may result in rejection of the quote by The City of Calhoun Georgia.

One (1) copy of Bid Documents are to be sealed, marked with the offeror's name and address and labeled, "**Bid #2025-00341 Supplies for Water Line Relocation**" and delivered to:

The City of Calhoun
Margaret Boyd, Director of Purchasing
700 West Line Street (Eastside Door)
Calhoun, GA 30701
Office: (706) 602-5680
Email: maboym@calnet-ga.net


No later than 4:00 P.M. ET, Wednesday, June 4th, 2025

Hand delivered copies may be delivered to the above address only between the hours of 8:00 a.m. and 5:00 p.m. ET, Monday through Friday, excluding holidays observed by the City of Calhoun.

A qualified interpreter for the hearing impaired is available upon request at least 10 (ten) days in advance of the opening date. Please call (706) 602-5680 for more information for the hearing impaired. This service is in compliance with the Americans with Disabilities Act (ADA).

Equal Opportunity Policy Statement: It is the policy of the City of Calhoun Georgia that no person or business shall be excluded from participation, denied the benefits of, or otherwise discriminated against in relation to the award and performance of any contract or subcontract on the grounds of race, color, creed, national origin, age, or sex.

The City of Calhoun Georgia reserves the right to reject any and all bids, to waive any technicalities or irregularities and to award the bid based on the lowest, responsive, and responsible bidder as determined by City.



THE CITY OF CALHOUN GEORGIA
Bid #2025-00341
SUPPLIES FOR WATER LINE RELOCATION
FOR THE CITY OF CALHOUN

ALL QUOTES RECEIVED WILL BECOME A PART OF THE OFFICIAL CONTRACT FILE AND MAY BE SUBJECT TO DISCLOSURE UNDER THE OPEN RECORDS ACT.

A complete signed Bid must include the documents listed below:

MANDATORY DOCUMENTS CHECKLIST: Bidder must complete, execute and include with the bid the following Mandatory documents. BIDS RECEIVED WITHOUT THE MANDATORY DOCUMENTS MAY BE REJECTED:

- Certification Statement of Bidder: Section V
- Acknowledgment of Addenda: Include completed Acknowledgement of Addenda form, from Section V of this Bid
- Bid Form: Please include the completed Schedule from Section V of this Bid.

BID TIMETABLE:

The anticipated schedule for the bid process is as follows:

Bid Documents Available.....Wednesday, May 14, 2025

Deadline for submission of questions.....5:00 P.M. ET, Wednesday, May 28th, 2025

Bid Opening.....4:00 P.M. ET, Wednesday, June 4th, 2025

Bids Valid until Sunday, August 3rd, 2025

Bidders can obtain this Bid document from [Georgia Procurement Registry](https://www.cityofcalhoun-ga.com/category/calhoun-bids/) or The City of Calhoun <https://www.cityofcalhoun-ga.com/category/calhoun-bids/>

Company Name (printed): _____

MANDATORY SUBMITTAL

SECTION V: CERTIFICATION STATEMENT OF BIDDER & BID FORM

Bid of _____

(Hereinafter called "Bidder"), organized and existing under the laws of the State of

_____, doing business as _____.

In compliance with your Bid, the bidder hereby agrees to perform and furnish all work for the requirement known as Bid #2025-00341 Supplies for Water Line Relocation for the city of Calhoun, Georgia. Located from the intersection of Curtis Parkway and Dews Pond Road south along Curtis Parkway to Laurel Creek Road in strict accordance with the Quote Documents, within the time set forth therein, and at the price bid.

By submission of this Bid, the bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization that:

1. The bidder has examined and carefully studied the bid Documents and the Addenda, receipt of all of which is hereby acknowledged in Section V.
2. The bidder agrees that this bid may not be revoked or withdrawn after the time set for the opening of the bid but shall remain open for acceptance for a period of sixty (60) days following such time.

Company:			
Contact:			
Address:			
Phone:		Fax	
Email:			

Authorized Representative/Title (Print or type)		Authorized Representative (Signature)	Date

Company Name (printed): _____

MANDATORY SUBMITTAL

SECTION V: Bid #2025-00341 SUPPLIES FOR WATER LINE RELOCATION FOR THE CITY OF

CALHOUN

The bidder has examined and carefully studied the Specifications and the following Addenda, Receipt of all of which is hereby acknowledged:

Addendum No.		dated		Acknowledgment	
Addendum No.		dated		Acknowledgment	Initial
Addendum No.		dated		Acknowledgment	Initial
Addendum No.		dated		Acknowledgment	Initial
Addendum No.		dated		Acknowledgment	Initial
					Initial

Bidders must acknowledge any issued addenda. Quotes which fail to acknowledge the bidder's receipt of any addendum may result in the rejection of the bid if the addendum contained information which substantively changes the Owner's requirements.

Project Name: Water Main Relocation for the Curtis Parkway Widening Project (Materials Only)
Calhoun Project No.: 341

Materials Base Bid:

Item No.	Item Description	Unit	Qty	Unit Price	Total Price
1	12" DI Water Main (Class 350, Domestic)	LF	4,536		
2	8" DI Water Main (Class 350, Domestic)	LF	918		
3	6" DI Water Main (Class 350, Domestic)	LF	220		
4	2" HDPE Water Main / Service Casing (DR9)	LF	680		
5	12" DIP Locking Gasket (Domestic)	EA	40		
6	8" DIP Locking Gasket (Domestic)	EA	12		
7	6" DIP Locking Gasket (Domestic)	EA	6		
8	Coated Blue Tracer Wire (12GA, 500' Roll)	ROLL	13		
9	Foil Warning Tape ("Caution Water Below", 1000' Roll)	ROLL	7		
10	Tub of Pipe Lubricant	GAL	11		
11	3/4" Threaded Rod (Carbon Steel)	LF	140		
12	3/4" Eye Bolt	EA	36		
13	3/4" Heavy Hex Nut	EA	36		
14	3/4" Flat Washer	EA	36		
15	12" Gate Valve (MJxMJ, Mueller A-2361)	EA	8		
16	8" Gate Valve (MJxMJ, Mueller A-2361)	EA	6		
17	6" Gate Valve (MJxMJ, Mueller A-2361)	EA	15		
18	2" Gate Valve (THDxTHD, Mueller A-2362)	EA	2		
19	CI Valve Box and Lid (Screw Type, Marked "Water")	EA	31		
20	Concrete Valve Marker	EA	25		
21	Concrete Valve Pad	EA	31		
22	3-Way Fire Hydrant w/ 5" Storz Connector (Mueller 5 1/4 Super Centurion A423, Red)	EA	6		
23	20" Steel Casing (0.344 WT, Coal Tar Exterior)	LF	380		
24	20"x 12" Rubber Casing End Seals	EA	4		
25	20"x 8" Rubber Casing End Seals	EA	4		
26	12"x 2" Tapping Saddle (NPT, Mueller DR2S or Romac 202S/202NS)	EA	2		
27	12"x 3/4" Tapping Saddle (CC Taper, Mueller DR2S or Romac 202S/202NS)	EA	12		
28	8"x 3/4" Tapping Saddle (CC Taper, Mueller DR2S or Romac 202S/202NS)	EA	4		
29	6"x 3/4" Tapping Saddle (CC Taper, Mueller DR2S or Romac 202S/202NS)	EA	1		
30	3/4" Corp Stop (CC Taper, A.Y. McDonald 74101BQ)	EA	17		
31	1" Curb Stop (CTS, A.Y. McDonald 76100WQ or Mueller B 25209N)	EA	6		
32	3/4" Curb Stop (CTS, A.Y. McDonald 76100WQ or Mueller B 25209N)	EA	17		
33	1" Gate Valve w/ Hand Wheel (NPT, Matco 514T05LF or Approved Equal)	EA	6		
34	3/4" Gate Valve w/ Hand Wheel (NPT, Matco 514T04LF or Approved Equal)	EA	17		
35	1" Meter Setter (A.Y. McDonald 724-410WDQD 44X992)	EA	6		
36	3/4" Meter Setter (A.Y. McDonald 724-207WDQD 33X992)	EA	17		
37	1" PE Service Tubing (CTS, DR 9)	LF	100		
38	3/4" PE Service Tubing (CTS, DR 9)	LF	1,000		
39	2" Plastic Tubing Stiffner (IPS)	EA	2		
40	1" Plastic Tubing Stiffner (CTS)	EA	20		
41	3/4" Plastic Tubing Stiffner (CTS)	EA	80		
42	Jumbo Meter Box w/ Lid (Oldcastle/Carson 17301202 or NDS Equivalent)	EA	1		
43	Standard Meter Box (NDS D1200 B/O with D12AMR-OLLOCTR Lid)	EA	22		
44	Plastic Valve Box (NDS 6" Overlapping D109-B or Approved Equal)	EA	22		
45	Type "C-Pop" Silt Fence (48' Roll)	ROLL	35		
46	Supplemental Parts Allowance	LS	1	\$ 10,000.00	\$ 10,000.00
Brass Fittings					
47	2"x 2" Brass Tee (NPT, Foreign or Domestic)	EA	1		
48	2"x 1" Brass Tee (NPT, Foreign or Domestic)	EA	4		
49	2"x 1" Brass Hex Bushing (NPT, Foreign or Domestic)	EA	2		
50	2"x 12" Brass Nipple (NPT, Foreign or Domestic)	EA	4		
51	2"x 6" Brass Nipple (NPT, Foreign or Domestic)	EA	4		
52	1"x 12" Brass Nipple (NPT, Foreign or Domestic)	EA	6		
53	3/4"x 12" Brass Nipple (NPT, Foreign or Domestic)	EA	17		
54	2" Brass Coupling (PVC Compression x MIP, Adapter)	EA	4		
55	1" Brass Coupling (CTS Compression x NPT, Spud)	EA	6		
Mechanical Joint Fittings, Restraints, and Accessory Kits					
56	12"x 12" DI Tee (MJxMJ, Foreign or Domestic)	EA	2		
57	12"x 8" DI Tee (MJxMJ, Foreign or Domestic)	EA	5		
58	12"x6" DI Hyd Tee (MJxSWL, Foreign or Domestic)	EA	8		
59	12" DI 45 Bend (MJ, Foreign or Domestic)	EA	9		

60	12" DI 22.5 Bend (MJ, Foreign or Domestic)	EA	2		
61	12" DI 11.25 Bend (MJ, Foreign or Domestic)	EA	4		
62	12" DI Solid Sleeve (MJ, Foreign or Domestic)	EA	2		
63	12" DI Plug (MJ, Foreign or Domestic)	EA	1		
64	12" DI Cap (MJ, Foreign or Domestic)	EA	3		
65	12"x8" DI Reducer (MJ, Foreign or Domestic)	EA	1		
66	8"x6" DI Hyd Tee (MJxSWL,, Foreign or Domestic)	EA	4		
67	8" DI 90 Bend (MJ, Foreign or Domestic)	EA	4		
68	8" DI 45 Bend (MJ, Foreign or Domestic)	EA	10		
69	8" DI Solid Sleeve Long (MJ, Foreign or Domestic)	EA	4		
70	8" DI Anchor Coupling (Foreign or Domestic)	EA	3		
71	8" DI Cap (MJ, Foreign or Domestic)	EA	10		
72	8"x6" DI Reducer (MJ, Foreign or Domestic)	EA	2		
73	6"x6" DI Hyd Tee (MJxSWL, Foreign or Domestic)	EA	1		
74	6" DI 90 Bend (MJ, Foreign or Domestic)	EA	5		
75	6" DI 45 Bend (MJ, Foreign or Domestic)	EA	3		
76	6" DI 11.25 Bend (MJ, Foreign or Domestic)	EA	1		
77	6" DI Solid Sleeve Long (MJ, Foreign or Domestic)	EA	8		
78	6"x13" DI Anchor Coupling (Foreign or Domestic)	EA	9		
79	6"x24" DI Anchor Coupling (Foreign or Domestic)	EA	1		
80	6" DI Cap (MJ, Foreign or Domestic)	EA	10		
81	12" Split Ring MegaLug w/ MJ Gland for PVC (Domestic)	EA	1		
82	12" MegaLug w/ MJ Gland for DIP (Domestic)	EA	88		
83	8" Split Ring MegaLug w/ MJ Gland for PVC (IPS, Domestic)	EA	1		
84	8" MegaLug w/ MJ Gland for DIP (Domestic)	EA	58		
85	8" MegaLug w/ MJ Gland for PVC (IPS, Domestic)	EA	10		
86	6" Split Ring MegaLug w/ MJ Gland for DIP (Domestic)	EA	6		
87	6" MegaLug w/ MJ Gland for PVC (IPS, Domestic)	EA	51		
88	6" MegaLug w/ MJ Gland for DIP (Domestic)	EA	25		
89	12" MJ Accessory Kit for DIP (Foreign or Domestic)	EA	81		
90	12" MJ Transition Accessory Kit for PVC (IPS, Foreign or Domestic)	EA	3		
91	8" MJ Accessory Kit for DIP (Foreign or Domestic)	EA	61		
92	8" MJ Transition Accessory Kit for PVC (IPS, Foreign or Domestic)	EA	10		
93	8" Flange Accessory Kit (Foreign or Domestic)	EA	1		
94	6" MJ Accessory Kit for DIP (Foreign or Domestic)	EA	33		
95	6" MJ Transition Accessory Kit for PVC (IPS, Foreign or Domestic)	EA	17		
96	8" External Bell Restraint (JCM Industries 143-0905 or Approved Equal)	EA	3		
Total Material Base Bid =					